

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|-----|------|---|--|----------------------|----------|------------------|--------|
| 1 | BRS | L1 | 1 | EP-1082216-\$.did. | US-PGPU B; USPA T; USOC R; EPO; JPO; DERW ENT; IBM_ TDB | 2004/12/ 12 21:42 | | | |
| 2 | BRS | L2 | 2502 | (428/678 or 420/436 or 420/437 or 420/443 or 420/445 or 148/408 or 148/410 or 148/425 or 148/428) .ccls. | US-PGPU B; USPA T; USOC R; EPO; JPO; DERW ENT; IBM_ TDB | 2004/12/ 12 21:52 | | | |
| 3 | BRS | L3 | 52 | 2 and (rhenium or re) and (chromium or cr) and (aluminum or aluminium or al) and (ruthenium or ru) and (nickel or ni or cobalt) and (yttrium or scandium or sc or rare ADJ earth) | US-PGPU B; USPA T; USOC R; EPO; JPO; DERW ENT; IBM_ TDB | 2004/12/ 12 21:55 | | | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|-----|------|---|--|----------------------|----------|------------------|--------|
| 4 | BRS | L4 | 29 | 3 and protective WITH (layer or layers or coating or coatings) | US- PGPU B; USPA T; USOC R; EPO; JPO; DERW ENT; IBM_ TDB | 2004/12/ 12 22:22 | | | |

| | U | 1 | Document ID | Issue Date | Page s | Title | Current OR | Current XRef |
|---|---|---|--------------------------|------------|--------|---|------------|---|
| 1 | | | US 2004022192 5 A1 | 20041111 | 27 | Ni-based superalloy having high oxidation resistance and gas turbine part | 148/410 | |
| 2 | | | US 2004018023 3 A1 | 20040916 | 10 | Product having a layer which protects against corrosion. and process for producing a layer which protects against corrosion | 428/680 | 420/443; 420/445; 428/633; 428/678 |
| 3 | | | US 2004014220 4 A1 | 20040722 | 8 | NI-BASE SUPERALLOY HAVING A COATING SYSTEM CONTAINING A DIFFUSION BARRIER LAYER | 428/633 | 416/241R; 428/670; 428/678 |
| 4 | | | US 2004000547 7 A1 | 20040108 | 7 | Product having a layer which protects against corrosion, and process for producing a layer which protects against corrosion | 428/678 | 416/241R; 420/40; 420/437; 420/445; 420/455; 428/633; 428/680 |
| 5 | | | US 2003021135 6 A1 | 20031113 | 5 | Oxidation and fatigue resistant metallic coating | 428/680 | 420/443; 420/445 |
| 6 | | | US 2003020715 1 A1 | 20031106 | 4 | RHENIUM-CONTAINING PROTECTIVE LAYER FOR PROTECTING A COMPONENT AGAINST CORROSION AND OXIDATION AT HIGH TEMPERATURES | 428/678 | |
| 7 | | | US 2003014814 1 A1 | 20030807 | 10 | Materials for protection of substrates at high temperature, articles made therefrom, and method for protecting substrates | 428/668 | 420/462; 428/678; 428/680 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|---|---|---|---------------|------------|-------|--|------------|--|
| 8 | | | US 6746782 B2 | 20040608 | 9 | Diffusion barrier coatings, and related articles and processes | 428/632 | 204/192.15; 420/37; 420/428; 420/430; 420/432; 420/433; 420/437; 420/448; 420/588; 420/82; 427/250; 427/405; 427/455; 427/531; 427/596; 428/336; 428/655; 428/656; 428/675; 428/678; 428/680 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|---|---|------------------|------------|-------|---|------------|--|
| 9 | | | US 6720088 B2 | 20040413 | 10 | Materials for protection of substrates at high temperature, articles made therefrom, and method for protecting substrates | 428/615 | 148/408; 148/409; 148/410; 148/419; 148/425; 148/426; 148/428; 148/429; 148/430; 148/442; 148/516; 148/527; 416/241R; 420/435; 420/437; 420/441; 420/442; 420/444; 420/445; 420/456; 420/460; 420/462; 420/580; 420/588; 428/621; 428/622; 428/627; 428/632; 428/660; 428/668; 428/670; 428/680; 428/686; 428/926; 428/937; 428/938; 428/941 |
| 10 | | | US 6673308 B2 | 20040106 | 18 | Nickel-base single-crystal superalloys, method of manufacturing same and gas turbine high temperature parts made thereof | 420/448 | 148/428; 420/443 |

| | | | | | | | |
|----|--|--|------------------|------------|--|---------|---|
| 11 | | | US 6641929 B2 | 20031104 9 | Article having a superalloy protective coating, and its fabrication | 428/632 | 148/428; 420/445; 427/252; 427/456; 428/651; 428/655; 428/680 |
|----|--|--|------------------|------------|--|---------|---|

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|---|---|------------------|------------|-------|--|------------|---|
| 12 | | | US 6635362 B2 | 20031021 | 12 | High temperature coatings for gas turbines | 428/678 | 416/241R; 420/442; 420/445; 420/455; 420/460; 420/550; 428/323; 428/328; 428/332; 428/403; 428/548; 428/570; 428/650; 428/680 |
| 13 | | | US 6475642 B1 | 20021105 | 9 | Oxidation-resistant coatings, and related articles and processes | 428/636 | 148/325; 148/333; 148/425; 148/426; 148/428; 148/429; 148/442; 148/516; 148/527; 148/535; 420/104; 420/110; 420/127; 420/35; 420/437; 420/447; 420/448; 420/460; 420/469; 420/472; 420/551; 420/552; 420/580; 420/63; 420/68; 420/69; 420/70; 420/77; 420/80; 420/96; 428/680; 428/681 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|---|---|---------------|------------|-------|--|------------|--|
| 14 | | | US 6461746 B1 | 20021008 | 7 | Nickel-base superalloy article with rhenium-containing protective layer, and its preparation | 428/632 | 416/241R; 428/469; 428/655; 428/678; 428/680; 428/699; 428/701 |
| 15 | | | US 6444057 B1 | 20020903 | 8 | Compositions and single-crystal articles of hafnium-modified and/or zirconium-modified nickel-base superalloys | 148/428 | 420/448 |
| 16 | | | US 6355212 B1 | 20020312 | 4 | Alloy for corrosion-resistant coatings or surface coatings | 420/34 | 420/117; 420/119; 420/127; 420/36; 420/40; 420/41; 420/43; 420/437; 420/440; 420/443; 420/445; 420/452; 420/459; 420/460; 420/50; 420/51; 420/54; 420/583; 420/584.1; 420/585; 420/588; 420/62; 420/70; 420/78; 420/79; 420/80; 420/84; 420/95; 420/97; 420/98; |

| | U | 1 | Document ID | Issue Date | Page s | Title | Current OR | Current XRef |
|----|---|---|---------------|------------|--------|---|------------|---|
| 17 | | | US 6221181 B1 | 20010424 | 9 | Coating composition for high temperature protection | 148/428 | 148/410; 148/442; 420/445; 428/680 |
| 18 | | | US 6207297 B1 | 20010327 | 6 | Barrier layer for a MCrAlY basecoat superalloy combination | 428/621 | 428/632; 428/668; 428/678; 428/679; 428/680 |
| 19 | | | US 6007645 A | 19991228 | 19 | Advanced high strength, highly oxidation resistant single crystal superalloy compositions having low chromium content | 148/404 | 148/410; 148/428; 420/448 |
| 20 | | | US 5851643 A | 19981222 | 27 | Magnetic recording media and magnetic recording read-back system which uses such media | 428/212 | 360/97.01 ; 428/213; 428/216; 428/336; 428/611; 428/635; 428/641; 428/660; 428/662; 428/663; 428/665; 428/666; 428/670; 428/678; 428/694TM ; 428/694TS ; 428/900; 428/928 |

| | U | 1 | Document ID | Issue Date | Page s | Title | Current OR | Current XRef |
|----|---|---|-----------------|------------|--------|---|------------|--|
| 21 | | | US 5846648 A | 19981208 | 35 | Magnetic alloy having a structured nucleation layer and method for manufacturing same | 428/332 | 428/336; 428/650; 428/662; 428/666; 428/668; 428/678; 428/694T; 428/694TR; 428/694TS; 428/900 |
| 22 | | | US 5658659 A | 19970819 | 36 | Magnetic alloy and method for manufacturing same | 428/332 | 428/336; 428/650; 428/662; 428/666; 428/678; 428/694T; 428/900 |
| 23 | | | US 5580667 A | 19961203 | 11 | Multilayered medium with gradient isolation layer | 428/610 | 428/336; 428/666; 428/667; 428/678; 428/694T; 428/694TM; 428/694TS; 428/900 |
| 24 | | | US 5482789 A | 19960109 | 25 | Nickel base superalloy and article | 428/652 | 148/404; 148/410; 148/428; 428/670; 428/680 |
| 25 | | | US 5151249 A | 19920929 | 12 | Nickel-based single crystal superalloy and method of making | 420/445 | 148/404; 148/428; 148/675; 420/443 |
| 26 | | | US 4719080 A | 19880112 | 11 | Advanced high strength single crystal superalloy compositions | 420/443 | 148/404; 420/444; 420/445; 420/448 |
| 27 | | | US 4624716 A | 19861125 | 12 | Method of treating a nickel base alloy | 148/514 | 148/410; 148/675; 419/23 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|---|---|-----------------|------------|-------|---|------------|---|
| 28 | | | US 4371589 A | 19830201 | 13 | Process for depositing protective coating and articles produced | 428/553 | 428/148; 428/195.1 ; 428/548; 428/550; 428/557; 428/559; 428/560; 428/561; 428/562; 428/566; 428/636; 428/637; 428/638; 428/646; 428/651; 428/656; 428/661; 428/663; 428/664; 428/666; 428/674; 428/678; 428/680; 428/681; 428/684; 428/685 |
| 29 | | | US 3331700 A | 19670718 | 13 | Method of coating metals | 427/376.3 | 148/903; 420/105; 420/430; 420/434; 420/439; 420/441; 427/377; 428/610; 428/678 |

Day: Sunday
 Date: 12/12/2004
 Time: 22:25:38

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = STAMM

First Name = WERNER

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 11 |
|-----------------|----------------|--------|------------|---|---------------------|
| <u>10811891</u> | Not Issued | 030 | 03/30/2004 | PRODUCT HAVING A LAYER WHICH PROTECTS AGAINST CORROSION. AND PROCESS FOR PRODUCING A LAYER WHICH PROTECTS AGAINST CORROSION | STAMM, WERNER |
| <u>10756670</u> | Not Issued | 030 | 01/13/2004 | THERMAL BARRIER COATING | STAMM, WERNER |
| <u>10754949</u> | Not Issued | 071 | 01/09/2004 | PROTECTIVE COATING | STAMM, WERNER |
| <u>10701837</u> | Not Issued | 030 | 11/05/2003 | RHENIUM-CONTAINING PROTECTIVE LAYER FOR PROTECTING A COMPONENT AGAINST CORROSION AND OXIDATION AT HIGH TEMPERATURES | STAMM, WERNER |
| <u>10659219</u> | Not Issued | 030 | 09/10/2003 | METHOD FOR COATING A SUBSTRATE HAVING HOLES | STAMM, WERNER |
| <u>10602625</u> | Not Issued | 161 | 06/25/2003 | PRODUCT HAVING A LAYER WHICH PROTECTS AGAINST CORROSION, AND PROCESS FOR PRODUCING A LAYER WHICH PROTECTS AGAINST CORROSION | STAMM, WERNER |
| <u>10470239</u> | <u>6796601</u> | 150 | 07/24/2003 | ARMREST SUBASSEMBLY FOR THE DOOR OF A MOTOR VEHICLE | STAMMBERGER, WERNER |
| <u>10433724</u> | Not Issued | 095 | 06/03/2003 | ADJUSTER MECHANISM FOR SETTING THE HEIGHT OF AN ARMREST ON A MOTOR VEHICLE DOOR | STAMMBERGER, WERNER |
| <u>10432938</u> | Not Issued | 041 | 05/28/2003 | ARMREST ASSEMBLY FOR A MOTOR VEHICLE DOOR | STAMMBERGER, WERNER |

| | | | | | |
|-----------------|----------------|-----|------------|---|---------------|
| <u>10279580</u> | Not Issued | 164 | 10/24/2002 | RHENIUM-CONTAINING PROTECTIVE LAYER FOR PROTECTING A COMPONENT AGAINST CORROSION AND OXIDATION AT HIGH TEMPERATURES | STAMM, WERNER |
| <u>09674328</u> | <u>6610419</u> | 150 | 03/14/2001 | PRODUCT WITH AN ANTICORROSION PROTECTIVE LAYER AND A METHOD FOR PRODUCING AN ANTICORROSION PROTECTIVE | STAMM, WERNER |

Inventor Search Completed: No Records to Display.

Search Another:
Inventor

| Last Name | First Name |
|---------------------------------------|------------|
| Stamm | Werner |
| <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)